

NOVA SM

UK PRICE LIST
1ST MARCH 2011
(GBP)

**TWIN WALL, INSULATED, STAINLESS STEEL
MULTI-FUEL CHIMNEY SYSTEM (Including Condensing appliances)**

BS EN 1856-1 T450 N1 D V2 L50050 G(50)
BS EN 1856-1 T200 P1 W V2 L50050 O(50) (Seals Required)

DESCRIPTION	CODE	100mm	130mm	150mm	180mm	200mm	250mm	304mm	355mm
	Vertical	4"	5"	6"	7"	8"	10"	12"	14"

STARTING COMPONENTS

Appliance Adaptor	45785	34.18	37.72	39.93	44.59	48.24	52.10	59.94	62.02
Appliance Adaptor (Imperial)	45784	-	29.50	-	37.03	-	-	-	-
80mm to 100ID Appliance Adaptor	45794	73.92	-	-	-	-	-	-	-
130mm to 150ID Appliance Adaptor	45794	-	76.68	-	-	-	-	-	-
Adaptor to Flexible	457501	56.22	58.94	64.92	74.15	82.55	107.14	139.47	150.41
Nova to Supra Adaptor	45797	44.24	49.99	53.71	60.81	65.01	70.69	79.73	86.13
Supra / Nova Adaptor	45796	41.59	45.23	49.53	56.72	62.53	63.37	66.49	75.67
Nova to SM25 / SMW Adaptor	45747	-	77.40	83.57	90.60	97.06	111.54	113.22	132.09
SM250 / SMW - Nova Adaptor	45748	-	77.40	83.57	90.60	97.06	111.54	113.22	132.09

LENGTHS

Length 1000 mm	45750	131.88	150.89	165.39	186.28	206.02	231.97	287.58	308.91
Length 500 mm	45751	101.18	113.13	118.94	136.68	147.26	159.35	183.21	212.45
Length 250 mm	45719	74.00	81.94	83.10	96.65	104.34	108.15	116.25	126.83
Length 120 mm	45753	61.45	65.52	69.44	74.26	82.25	83.28	88.74	92.86
Starter Length 304 BA	45704	-	155.10	168.55	190.85	193.20	-	-	-
Starter Length Black (xx=Dia. Code)	45704XXNB	-	158.66	172.15	194.45	196.80	-	-	-
Starter Length White (xx=Dia. Code)	45704XXNW	-	158.66	172.15	194.45	196.80	-	-	-
Adjustable Length - Long 375 - 550mm (For P1/W 100ID - 250ID Add 2off 40063XX Seals. For 300ID - 350ID Add 1off 40064XX & 1off 40065XX Seal)	45746	127.12	131.87	138.55	149.30	163.96	191.21	299.13	317.40
Adjustable Length - Short 300 - 400mm (For P1/W 100ID - 250ID Add 2off 40063XX Seals. For 300ID - 350ID Add 1off 40064XX & 1off 40065XX Seal)	45766	124.04	129.83	132.13	143.56	158.01	178.99	277.84	277.89
Inspection Length -Standard (For N1/D Applications)	45762	-	504.84	524.23	533.84	556.13	568.92	700.12	725.40
Inspection Length -Metu (For P1/W Applications)	45763	303.18	316.58	317.38	329.96	339.48	388.18	418.81	435.82
Probe Length	45767	130.75	134.66	143.21	166.78	169.66	171.92	191.52	202.01

TEES / ELBOWS / COMPONENTS

90° Tee	45730	190.32	191.61	207.17	234.19	255.34	321.08	575.15	608.58
93° Tee	45731	198.57	205.17	223.77	250.86	276.25	331.67	585.32	621.71
95° Tee	45764	198.57	205.17	223.77	250.86	276.25	331.67	585.32	621.71
135° Tee	45765	255.36	319.27	337.99	395.89	425.53	495.43	678.01	720.75
Locking Plug	45791	81.66	83.72	87.78	92.42	101.05	113.78	118.36	129.99
Condensate Collector (Drain Tee Cap)	45769	90.83	94.60	98.77	103.30	107.88	126.56	132.09	141.46
Duct Drain	45768	158.11	166.10	175.55	195.83	206.28	232.61	270.12	252.95
Elbow 15°	45754	111.72	114.72	122.92	129.80	142.75	152.20	221.17	233.05
Elbow 30°	45755	111.72	114.72	122.92	129.80	142.75	152.20	221.17	233.05
Elbow 40°	45756	111.72	114.72	122.92	129.80	142.75	152.20	221.17	233.05
Elbow 45°	45757	111.72	114.72	122.92	129.80	142.75	152.20	221.17	233.05
Elbow 85°	45758	189.52	193.47	200.68	213.99	235.50	270.58	293.73	318.29
Elbow 87°	45749	189.52	193.47	200.68	213.99	235.50	270.58	293.73	318.29
Elbow 90°	45759	188.02	190.83	198.68	214.95	227.76	266.35	286.81	309.51

SUPPORT & BRACING COMPONENTS

Support Length / Guy Attachment Length	45788	112.21	117.69	139.49	140.87	158.57	173.06	218.53	229.41
Anchor / Lintel / Pre-Cast Chamber Support Plate c/w S/W Tail	45775	70.64	77.17	95.10	101.84	113.16	137.11	176.74	181.65
Horizontal Code		04N	05N	06N	07N	08N	10N	12N	14N
Locking Band	45786	7.93	8.35	8.44	8.55	8.90	9.39	9.67	10.36
Wall Support Bracket S/S (Support Length Included)	45723	163.81	175.66	202.38	218.49	237.90	245.38	254.36	274.81
Wall Support Bracket Galv (Support Length Included)	45722	120.08	127.61	143.89	148.58	161.55	181.73	215.83	228.93
Telescopic Floor Support S/S (Support Length Included)	31011	Price on Application							
Telescopic Floor Support Galv (Support Length Included)	31021	Price on Application							
Horizontal Code		04	05	06	07	08	10	12	14
Universal Support Plate (SS) (Support Length Included)	3119	147.40	159.25	183.15	192.34	215.33	239.47	288.79	306.25
Universal Support Plate (Galv) (Support Length Included)	3110	125.92	138.09	162.44	166.05	186.36	187.73	251.37	267.19
Horizontal Code		04154	05184	06204	07234	08254	10304	12354	14404

DESCRIPTION	CODE Vertical	100mm 4"	130mm 5"	150mm 6"	180mm 7"	200mm 8"	250mm 10"	304mm 12"	355mm 14"
TERMINALS									
Top Stub	45708	48.49	50.19	52.28	54.64	66.53	72.53	90.02	104.99
Top Stub c/w Mesh	45707	95.86	101.51	115.77	119.52	124.14	145.60	236.35	274.97
Round Top	45731	51.90	89.53	95.50	103.57	115.18	124.00	132.41	149.10
Rain Cap	45773	41.35	42.84	44.69	49.81	61.60	84.35	114.26	148.47
Storm Cowl	45787	73.21	81.04	88.48	89.54	95.04	106.92	-	-
Storm Cowl with Mesh	45789	74.60	83.60	92.20	94.43	101.48	116.59	-	-
Gas Terminal	45524	81.60	82.29	89.39	105.80	112.06	146.69	162.13	194.81
Trim Collar (S/S)	45832	21.66	23.05	24.62	26.36	28.13	33.14	37.31	42.31
Horizontal Code		04	05	06	07	08	10	12	14

Misc. Fittings

Eccentric Increaser 150ID - 200ID	4570606N	221.71
Eccentric Increaser 180ID - 250ID	4570607N	233.82
Eccentric Increaser 200ID - 250ID	4570608N	248.88
Eccentric Increaser 200ID - 304ID	4570708N	285.52
Eccentric Increaser 250ID - 304ID	4570610N	305.71
Eccentric Increaser 250ID - 355ID	4570710N	340.62

Reducing Tee (90° & 95°)	90° Tee		95° Tee	
130ID - 100ID Reducing Tee	4559001	294.18	4559501	294.18
150ID - 100ID Reducing Tee	4559002	312.61	4559502	312.61
150ID - 130ID Reducing Tee	4559003	323.79	4559503	323.79
180ID - 100ID Reducing Tee	4559009	335.54	4559509	335.54
180ID - 130ID Reducing Tee	4559011	346.00	4559511	346.00
180ID - 150ID Reducing Tee	4559013	354.69	4559513	354.69
200ID - 100ID Reducing Tee	4559015	357.33	4559515	357.33
200ID - 130ID Reducing Tee	4559017	368.00	4559517	368.00
200ID - 150ID Reducing Tee	4559019	376.69	4559519	376.69
200ID - 180ID Reducing Tee	4559021	382.60	4559521	382.60
250ID - 100ID Reducing Tee	4559023	383.01	4559523	383.01
250ID - 130ID Reducing Tee	4559025	393.67	4559525	393.67
250ID - 150ID Reducing Tee	4559026	402.32	4559526	402.32
250ID - 180ID Reducing Tee	4559027	410.70	4559527	410.70
250ID - 200ID Reducing Tee	4559028	420.59	4559528	420.59
304ID - 100ID Reducing Tee	4559029	426.39	4559529	426.39
304ID - 130ID Reducing Tee	4559030	437.00	4559530	437.00
304ID - 150ID Reducing Tee	4559031	445.64	4559531	445.64
304ID - 180ID Reducing Tee	4559032	454.03	4559532	454.03
304ID - 200ID Reducing Tee	4559033	487.73	4559533	487.73
304ID - 250ID Reducing Tee	4559034	514.91	4559534	514.91
355ID - 100ID Reducing Tee	4559035	458.69	4559535	458.69
355ID - 130ID Reducing Tee	4559036	469.35	4559536	469.35
355ID - 150ID Reducing Tee	4559037	478.05	4559537	478.05
355ID - 180ID Reducing Tee	4559038	486.38	4559538	486.38
355ID - 200ID Reducing Tee	4559039	496.12	4559539	496.12
355ID - 250ID Reducing Tee	4559040	547.26	4559540	547.26
355ID - 304ID Reducing Tee	4559041	571.64	4559541	571.64

COMMON COMPONENTS

DESCRIPTION	CODE Vertical	100mm 4"	130mm 5"	150mm 6"	180mm 7"	200mm 8"	250mm 10"	304mm 12"	355mm 14"
-------------	------------------	-------------	-------------	-------------	-------------	-------------	--------------	--------------	--------------

PENETRATION COMPONENTS FOR SOLID FUEL & OIL ≥ 250°C

Ventilated Firestop Spacer	55083	58.28	64.59	70.88	81.10	94.50	124.41	128.69	-
Ventilated Ceiling Support <i>(For white add ZW and for black add ZB after the full part number)</i>	70727	103.47	111.81	117.86	129.94	131.49	145.95	162.28	-
Horizontal Code		10	13	15	18	20	25	30	14

Intumescent Sealant (310ml) (Solid Fuel / Oil > 250°C)	0199900	11.76							
--	---------	-------	--	--	--	--	--	--	--

PENETRATION COMPONENTS FOR OIL & GAS ≤ 250°C

Ceiling Support	45027	31.62	33.63	37.42	44.76	67.41	76.90	87.87	104.74
Firestop Spacer	45087	5.63	6.56	7.30	8.24	9.78	10.07	12.14	22.06
Horizontal Code		04	05	06	07	08	10	12	14

Wall Band (Galv) - Internal	3116	22.60	23.00	23.29	23.62	23.95	24.51	25.43	26.35
Wall Band (S/S) - External	3115	26.79	27.71	28.34	29.18	29.89	33.55	35.64	37.77
Horizontal Code		154	185	205	234	255	305	355	405

Wall Band Extension Brackets 50mm - 100mm (S/S)	3119	16.09	16.09	16.09	16.09	16.09	22.29	31.78	31.78
Wall Band Extension Brackets 50mm - 100mm (Galv)	3120	14.75	14.75	14.75	14.75	14.75	18.47	28.34	28.34
Horizontal Code		136	136	136	136	136	180	245	245

DESCRIPTION	CODE	100mm	130mm	150mm	180mm	200mm	250mm	304mm	355mm
	Vertical	4"	5"	6"	7"	8"	10"	12"	14"
Roof Support	0102900	63.10							
Adjustable Split Bands	3123	40.11	41.05	41.60	43.15	44.58	46.17	46.61	53.39
Horizontal Code		150	180	200	230	250	300	350	400
30° - 40° Angled Wall Cover Ring	55703	-	28.51	32.40	33.60	36.15	-	-	-
40° - 50° Angled Wall Cover Ring	55702	-	30.61	35.55	37.20	39.36	-	-	-
Horizontal Code		10N	13N	15N	18N	20N	25N	30N	35N
Joint Sealing Ring (For P1 / W Applications)	40063	1.76	2.08	2.29	2.56	2.76	3.23	-	-
Joint Sealing Ring (For P1 / W Applications 300ID & 350ID)	40064	-	-	-	-	-	-	6.41	6.41
Adjustable Length Seal (For 300ID and 350ID P1/W Applications)	40065	-	-	-	-	-	-	20.29	21.33
Horizontal Code		10	13	15	18	20	25	30	35
Seal Lubricant Compound	4007500	11.03							
ANCILLARIES									
Draught Regulator (Req. 45785XXN Adaptor)	31920	182.11	192.69	204.53	213.75	228.66	276.62	284.10	329.98
Horizontal Code		04	05	06	07	08	10	12	14
FLASHINGS									
Flat Flashing	700000	34.48	35.00	37.69	42.41	45.06	61.81	65.93	70.91
Adjustable Flashing 5° - 30°	700530	34.48	35.00	37.69	42.41	45.06	61.81	65.93	102.31
Adjustable Flashing 32° - 45°	703245	41.08	42.41	45.06	58.31	60.96	75.95	87.48	107.21
Storm Collar(Supplied with Sealant)	701234	17.23	17.90	19.13	21.87	23.20	26.50	29.69	31.29
Horizontal Code		06	07	09	10	11	12	13	14
Seldek Flashing No.1 (to suit 55mm - 150mm external diameter)	4901015	35.99							
Seldek Flashing No.2 (to suit 110mm - 200mm external diameter)	4901020	50.14							
Seldek Flashing No.3 (to suit 160mm - 300mm external diameter)	4901030	93.87							
Seldek Flashing No.4 (to suit 300mm - 450mm external diameter)	4901045	146.56							

Note: A Locking band is supplied complete with all components where necessary

Please give Product Codes when ordering. To arrive at Product Code combine Vertical Code with Horizontal Code
e.g. Length 1000mm, size 150mm, Vertical Code 45750, Horizontal Code 06N, PRODUCT CODE 4575006N



Customer Services

SFL, Pottington Business Park,
Barnstaple, Devon, EX31 1LZ
Tel: 01271 32 66 33 Fax: 01271 33 43 03
Web Site: www.sflchimneys.com
Email: info@sflchimneys.com

LIT NOVA SM 03/11